



intihal.net

User Guide

July 2021

Introduction


1	Introduction	3
1.1	General Information	3
1.2	Membership Screen	3
2	Language Selection.....	4
3	Document Upload Screen	5
3.1	Student	5
3.2	Academicians	6
3.3	Report Screen.....	7
4	Report Display Screen.....	9

1 Introduction

1.1 General Information

Intihal.net is a plagiarism detection software that can be used online. If the institution is a member, you can easily become a member with the corporate e-mail address. If necessary, your institution representative can be contacted.

Similarity with a source does not mean that the work is plagiarism. Intihal.net program generally aims to find the same sentences (sentences with similarity) among documents. It is up to the academician's decision to determine whether the quotation in the work is plagiarism.



The image shows the Intihal.net login and registration interface. At the top, there is the Intihal.net logo and a 'SIGN IN' link. Below this are two input fields: 'E-mail address' and 'Password'. There is a 'Remember me' checkbox and a green 'SIGN IN' button. Below the password field, there is a link 'I forgot my password!! | Language options'. At the bottom, there is a link 'Don't have an account? Register now.' and a blue 'register' button.

1.2 Register


It is necessary to write your institutional e-mail in the e-mail section of the member screen of intihal.net. If a personal e-mail is written, your approval process may be extended and intihal.net is not used in this process.

There are 3 types of account types available.

1. Academician
2. Student
3. Manager

An application is made to the library and documentation department for the administrator account. According to the membership conditions of the institution, an e-mail can be sent for approval after filling in the member information.

2 Language Selection




The image shows the login and registration interface of intihal.net. At the top, there is the intihal.net logo and a 'SIGN IN' button. Below this, there are two input fields: one for the email address (containing 'usun@bilkent.edu.tr') and one for the password (masked with dots). There is a 'Remember me' checkbox and a 'SIGN IN' button. Below the login fields, there is a link for 'I forgot my password!! | Language options'. At the bottom, there is a link for 'Don't have an account? Register now.' and a 'register' button.

İntihal.net can be used in 5 languages that are used frequently in the world, especially Turkish. These are listed below in order.

1. Turkish
2. English
3. French
4. Spanish
5. Arabic

You can change the interface language at any time.



3 Document Upload Screen

3.1 Student

Upload Document

Title

Remove the References?

☐

Folder Code:

SELECT

?

By clicking the Upload Document button, the document upload screen can be accessed. Although the entry in the title section is optional, the code of the folder created from the academician account must be entered in the folder code section.

New folder
×

Folder Name

Starting date

End Date

If the Student Uploads Documents, Let Him See His Report

☐

Cancel

Create

Folder Code is created by academics. While creating the folder code, options such as the name of the folder, the date range where the folder can be actively uploaded and the student can see the report of the uploaded document should be selected.

3.2 Academicians

ACADEMICIAN

Upload Document

My docs

Shared With Me

DOCUMENT LOAD

Title

Title

Author

Author

Remove the References?

☐

Folder

General

Drag and drop the document .

Click to select the document .

Submit

By clicking the Upload Document button, the document upload screen can be accessed. In this screen, the title and author fields can be filled optionally. The user can perform a plagiarism test by selecting the file from the file path or by dragging and dropping the text. If the folder is not created, the folder part will always remain in 'Public'. The time the file is sent to the opposite server is related to your internet. After completing the submission, it will automatically return to the main screen.

MENOPOZAL KADINLARDA ÜRİNER İNKONTİNANS TİPİ VE ŞİDDETİNİN YAŞAM KALİTESİNE ETKİSİ: SİSTEMATİK DERLEME

ÖZET: Amaç: Bu sistematik derleme, menopozal kadınlarda üriner inkontinansın yaşam kalitesine etkisini belirlemek amacıyla yapılmıştır. Yöntem: Literatür taraması, 2009-2019 yılları arasında yıl sınırlaması yapılarak, "Ulakbin-Türk Tıp Dizini, Türk Medline, Scholar Google", "Türkiye Anıt Dizini", "YÖK-Tez" veri tabanlarında yapılmıştır. Tarama 10 Mart - 15 Mayıs 2020 tarihleri arasında gerçekleştirilmiştir. Taramada, "klimakterik dönem", "hemsirelik", "yaşam kalitesi" ve "üriner inkontinans" anahtar sözcükleri kullanılmıştır. Bu çalışmaya, menopozal dönemdeki kadınlarda üriner inkontinans tipi ve şiddetinin yaşam kalitesine etkisini belirlemeye yönelik yapılmış, makale çalışmaları dâhil edilmiştir. Derleme, vaka çalışmaları, olgu sunumları, ölçeği üriner inkontinansla ilişkili yaşam kalitesini değerlendirmeyen, yayın dili İngilizce ve Türkçe dilleri dışında yayınlanmış makaleler ve kanıt düzeyi düşük makaleler hariç tutulmuştur. Tarama sonucunda toplam 7050 çalışmaya ulaşılmıştır. Dâhil etme/dışlama kriterleri doğrultusunda yapılan **çözümler sonunda araştırma kapsamına dört çalışma alınmıştır.** Bulgular: Sistematik derlemeye dâhil edilen çalışmaların tamamı makale olup yayın yıllarına bakıldığında (2010, 2014, 2016) yıllarına ait olduğu görülmüştür. Çalışmalarda örneklem sayısının en az 117 (Güvenç ve ark., 2016), en fazla 310 (Pakgözar ve ark., 2014) olduğu saptanmıştır. Soruç: Çalışmalarda üriner inkontinans genel prevalansının %27.5 ile 50 arasında değiştiği görülmektedir. Üriner inkontinans çeşitlerine baktığımızda, stres üriner inkontinansının % 7.0 ile % 73.9 arasında değiştiği, urge üriner inkontinansının %3.1 ile %47.4 arasında değiştiği, mikst tip üriner inkontinansının %2.6 ile %72.6 arasında değiştiği saptanmıştır. UI yaşam kalitesini olumsuz etkilediği görülmüştür. Yaşam kalitesinin UI tipi, şiddeti, miktar ile ilişkili olduğu görülmüştür.

Report Display Screen in order for the report display screen to be active in the student account, the "Let the student view the report" option must be selected while creating the class.

3.3 Report Screen

How to Download Report ?
report
Processed Report
original document
Close

MENOPOZAL KADINLARDA ÜRİNER İNKONTİNANS TİPİ VE ŞİDDETİNİN YAŞAM KALİTESİNE ETKİSİ SİSTEMATİK DERLEME

Yazar : Serap Kınca Sayfa Sayısı : 5 Kelime Sayısı : 1563 Karakter Sayısı : 13020

ORIGINAL REPORT

SIMILARITY INDEX	INTERNET RESOURCES	PUBLICATIONS	STUDENT ASSIGNMENTS
%21	-	-	-

PRIMARY SOURCES


1	Haliç Üniversitesi - 49 yaş ve üzeri postmenopozal dönemdeki kadınların yaşam kalitesi	%4
2	Eskişehir Osmangazi Üniversitesi - Üriner inkontinansın yaşam kalitesine etkisi, tedavi öncesi-sonrası dönemde objektif ve subjektif parametrelerin karşılaştırılması	%3
3	İnönü Üniversitesi Sağlık Bilimleri Dergisi - Üriner inkontinansın 65 yaş ve üzeri kadınların yaşam kalitesi üzerine etkisi	<%1
4	Trakya Üniversitesi - 40 yaş üzeri kadınlarda üriner inkontinansın görülme sıklığı ve yaşam kalitesi üzerine etkisinin belirlenmesi	%2
5	Psikiyatride Güncel Yaklaşımlar (Dergipark) - Türkiye'de Yaşlı İstisman ve İhmali: Sistematik Derleme	%2

The report button generates the short report as below with a list of places cited


If there are resources removed from the report screen, they will appear crossed out in the generated report. The similarity index does not include these sources that have been crossed out.

The Processed Report shows where it is quoted, similar to the original report screen, by drawing.

The original of the loaded document can be accessed with the Original Document button.



The uploaded document can be added to the Repository or sent to the Institute.



The document uploaded to the repository can be removed from the repository by selecting the Remove from repository option.

(Documents added to the repository can only be removed by the institution administrator)

Rate	Status	Store	
55%	Detailed Report	Remove from Repository	Summary Report
77%	Detailed Report	Not attached	Summary Report
15%	Detailed Report	Not attached	Summary Report

The Summary Report on the My Documents screen allows downloading a summary report with a single page QR code.

The similarity test of the work titled " **THE EFFECT OF URINARY INCONTINENCE TYPE AND VIOLENCE ON QUALITY OF LIFE IN MENOPASAL WOMEN** ", which was uploaded on behalf of **Serap Kırıcı** , was tested. As a result of the test, the similarity rate was found to be **21 %** .



Document Code: 205710_1617006992038

With the Document Code, the accuracy of this document can be checked at
<https://app.intihal.net/kontrol.jsp>

4 Report Display Screen

The quoted item is painted on the report display screen. The color to be painted is the same color as the source cited in the "Matching Results" section, which can be seen on the right. Thus, citations made in each other (mosaic plagiarism) are made easier for the user to view.

MENOPOZAL KADINLARDA ÜRİNER İNCONTİNANS TİPİ VE ŞİDDETİNİN YAŞAM KALİTESİNE ETKİSİ: SİSTEMATİK DERLEME

ÖZET: Amaç: Bu sistematik derleme, menopozal kadınlarda üriner inkontinansın yaşam kalitesine etkisini belirlemek amacıyla yapılmıştır. Yöntem: Literatür taraması, 2009-2019 yılları arasında yıl sınırlaması yapılarak, "Ulakbın Türk Tıp Dizin, Türk Medline, Scholar Google", "Türkiye Atıf Dizin", "YÖK Tez" veri tabanlarında yapılmıştır. Tarama 10 Mart - 15 Mayıs 2020 tarihleri arasında gerçekleştirilmiştir. Taramada, "klimakterik dönem", "hemsirelik", "yaşam kalitesi" ve "üriner inkontinans" anahtar sözcükleri kullanılmıştır. Bu çalışmaya, menopozal dönemdeki kadınlarda üriner inkontinans tipi ve şiddetinin yaşam kalitesine etkisini belirlemeye yönelik yapılmış, makale çalışmaları dâhil edilmiştir. Derleme, vaka çalışmaları, olgu sunumları, ölçeği üriner inkontinansla ilişkili yaşam kalitesini değerlendirmeyen, yayın dili İngilizce ve Türkçe dilleri dışında yayınlanmış makaleler ve kanıt düzeyi düşük makaleler hariç tutulmuştur. Tarama sonucunda toplam 7050 çalışmaya ulaşılmıştır. Dahil etme-çıkartma kriterleri doğrultusunda yapılan derleme sonunda araştırma kapsamına dört çalışma alınmıştır. Bulgular: Sistematik derlemeye dâhil edilen çalışmaların tamamı makale olup yayın yıllarına bakıldığında (2010, 2014, 2016) yıllarına ait olduğu görülmüştür. Çalışmalarda örneklem sayısının en az 117 (Güvenç ve ark., 2016), en fazla 310 (Pakgöhar ve ark., 2014) olduğu saptanmıştır. Sonuç: Çalışmalarda üriner inkontinans genel prevalansının %27.3 ile 50 arasında değiştiği görülmektedir. Üriner inkontinans çeşitlerine baktığımızda, stres üriner inkontinansının % 7.0 ile % 73.9. arasında değiştiği, urge üriner inkontinansının %3.1 ile %47.4 arasında değiştiği, miks tip üriner inkontinansının %2.6 ile %72.6 arasında değiştiği saptanmıştır. Ul yaşam kalitesini olumsuz etkilediği görülmüştür. Yaşam kalitesinin Ul tipi, şiddeti, miktar ile ilişkili olduğu görülmüştür.

Anahtar kelimeler: Klimakterik dönem, yaşam kalitesi, üriner inkontinans

Matching Results Clear Filters

1 / 5

Similarity Rate: 21%

1st	Marked Area	4%
Halic University - Quality of life of postmenopausal women aged 49 and over		
2nd	Marked Area	3%
Eskişehir Osmangazi University - Effect of urinary incontinence on quality of life, comparison of		
3	Marked Area	<1%
Inonu University Journal of Health Sciences - The effect of urinary incontinence on the quality of life of women		
4	Marked Area	%2nd
University of Trakya - Determination of the incidence of urinary incontinence and its effect		
5	Marked Area	%2nd
Current Approaches in Psychiatry (Dergipark) - Elderly Abuse and Neglect in Turkey: A Systematic Review		

Users can remove the paint from the painted parts of the report due to that source by clicking the "Remove" button next to the sources. They can also edit the Similarity Rate calculation. Every extracted resource can be added from the same place by pressing the add button. All of the pages displayed on the report screen also have page numbers.